

according to the Hazard Communication Standard (CFR 291910.1200) HazCom 2012

Version: 2305

Applicable Law: USA

SDS Revision Date: 05/03/2023

Page 1 of 8

### **SECTION 1. IDENTIFICATION**

Product name : Bugs B Gone (Standard)

Product code : BBG1, BBG2, BBG16

Product form : Mixture.

Recommended use and restrictions : Multi-use cleaner, road bugs on all vehicle surfaces, organic material on carpet and vinyl upholstery, coolers, kitchen sinks,

and other surfaces.

Manufacturer : Sea Foam Sales Company

510 N. Chestnut Street Chaska, MN, USA 55347

T 952-938-4811

Emergency Telephone Number : INFOTRAC - (800) 535-5053 (Within Continental US) (8-4:30pm CST);

+1 (352) 323-3500 (Outside US) NOTE: INFOTRAC emergency number is to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving

chemicals.



Classification of the substance or mixture Classification (GHS)

Eye Irrit. 2 Causes serious eye irritation.

GHS Label elements, including precautionary statements

GHS-US labelling Hazard pictograms (GHS US)



Signal Word (GHS US)

Warning

### Hazard statements (GHS US)

Causes serious eye irritation.

# Precautionary statements (GHS US)

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use. Wash hands, forearms and face thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face

protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

### Other Hazards

No additional information available.

### **Unknown Acute Toxicity**

Not applicable.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

## Mixtures

Name	Chemical Name/Synonyms	Product Identifier	% wt
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)- .omegahydroxy-, branched	4-Nonylphenol, branched, ethoxylated / Polyethylene glycol, mono(p-nonylphenyl) ether, branched / .alpha(4-Nonylphenyl)omegahydroxy poly(oxy-1,2-ethanediyl), branched / .alpha(p-Nonylphenyl)omegahydroxypoly(oxyethylene) branched / 4-Nonylphenol, branched and linear, ethoxylated / .alpha(4-Nonylphenyl)omegahydroxypoly(oxy-1,2-ethanediyl) branched / Ethoxylated branched and linear 4-nonylphenol / Poly (oxy-1,2-ethanediyl), alpha-(4-nonylphenyl)-omega-hydroxy-, branched / 4-Nonylphenol, branched, ethoxylated, 1 - 2.5 moles ethoxylated	•	0.5 – 1.5*
Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, tetrasodium salt	Tetrasodium ethylenediaminetetraacetate / Ethylenediaminetetraacetic acid, tetrasodium salt / N,N'-1,2-Ethanediylbis(N-(carboxymethyl)glycine) tetrasodium salt / Tetrasodium ethylene diamine tetraacetate / edetate sodium / Edetate sodium / Tetrasodium edetate / EDTA, tetrasodium / Acetic acid, (ethylenedinitrilo)tetra-, tetrasodium salt / Tetrasodium salt of ethylenediaminetetraacetic acid / EDTA tetrasodium salt / TETRASODIUM EDTA / Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt / Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4) / Tetrasodium 2,2',2",2"'-(ethylenedinitrilo)tetraacetate	*	0.1 – 1*
2-butoxyethanol	2-Butoxy-1-ethanol / Butoxyethanol / Ethanol, 2-butoxy- / Ethylene glycol monobutyl ether / Ethylene glycol n-butyl ether / Hydroxyethyl butyl ether / Ethylene glycol butyl ether / 2-	*	0.1 – 1*



according to the Hazard Communication Standard (CFR 291910.1200) HazCom 2012

Version: 2305 Applicable Law: USA
SDS Revision Date: 05/03/2023 Page 2 of 8

	Butoxyethan-1-ol / Ethylene glycol mono-n-butyl ether / 2-n-Butoxyethanol / Butyl glycol / BUTOXYETHANOL / EGBE / EGMBE / Butoxyethanol, 2- / Butyl Cellosolve / Monobutyl ether of ethyleneglycol		
Potassium hydroxide	Caustic potash / Potassium hydroxide (K(OH)) / POTASSIUM HYDROXIDE	*	0.1 – 1*

<sup>\*</sup>Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

#### **SECTION 4. FIRST-AID MEASURES**

#### Description of first aid measures

First-aid measures after ingestion : Do NOT induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : If skin irritation occurs: Wash skin with plenty of water. Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

### Most important symptoms and effects, both acute and delayed

Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of

the skin.

Symptoms/effects after eye contact : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and

tear production, with marked redness and swelling of the conjunctiva.

# Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible).

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray. Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon. Irritating vapors.

Protection during firefighting : Keep upwind of fire. Wear full firefighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA).

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to

unnecessary and unprotected personnel.

Environmental Precautions : Prevent entry to sewers and public waters.

### Methods and material for containment and cleaning up

For containment : Absorb and/or contain spill with inert material (sand, vermiculite, or other appropriate material),

then place in suitable container. Do not flush into surface water or sewer system. Wear

recommended personal protective equipment.

Methods for cleaning up : Provide ventilation. Sweep or shovel spills into appropriate container for disposal.

Reference to other sections : For further information refer to section 8: "Exposure controls/personal protection."

### **SECTION 7. HANDLING AND STORAGE**



according to the Hazard Communication Standard (CFR 291910.1200) HazCom 2012

Version: 2305

Applicable Law: USA

SDS Revision Date: 05/03/2023

Page 3 of 8

Precautions for safe handling

:Read label before use. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When

using do not eat, drink, or smoke.

Hygiene measures

: Wash contaminated clothing before reuse. Always wash hands after handling the product.

Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Store tightly closed in a dry, cool and well-ventilated place.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control Parameters**

Control Parameters			
Bugs B Gone (Standard)			
No additional Information available			
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt			
No additional information available			
2-butoxyethanol			
USA - ACGIH - Occupational Exposure Limits			
Local name	2-Butoxyethanol (EGBE)		
ACGIH OEL TWA [ppm]	20 ppm		
Remark (ACGIH)	TLV® Basis: Eye & URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI		
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans		
Regulatory reference	ACGIH 2020		
USA - ACGIH - Biological Exposure Indices			
BEI	200 mg/g creatinine Parameter: Butoxyacetic acid with hydrolysis - Medium: urine - Sampling time: end of shift		
USA - OSHA - Occupational Exposure Limits			
Local name	2-Butoxyethanol		
OSHA PEL (TWA) [1]	240 mg/m³		
OSHA PEL (TWA) [2]	50 ppm		
Limit value category (OSHA)	prevent or reduce skin absorption		
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1		
USA - IDLH - Occupational Exposure Limits			
IDLH [ppm]	700 ppm		
USA - NIOSH - Occupational Exposure Limits			
NIOSH REL (TWA)	24 mg/m³		
NIOSH REL TWA [ppm]	5 ppm		
US-NIOSH chemical category	SK: SYS-DIR(IRR) Apr 2011		
Potassium hydroxide	Potassium hydroxide		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL C	2 mg/m³		
USA - NIOSH - Occupational Exposure Limits			
NIOSH REL (Ceiling)	2 mg/m³		
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched			
No additional information available			

Appropriate engineering controls

<sup>:</sup> Ensure good ventilation of the workstation. Provide readily accessible eye wash stations and safety showers.



according to the Hazard Communication Standard (CFR 291910.1200) HazCom 2012

Version: 2305

Applicable Law: USA
SDS Revision Date: 05/03/2023

Page 4 of 8

Environmental exposure controls : Avoid release to the environment.

Individual protection measures, such as personal protective equipment

Eye protection : Wear eye/face protection.

Skin and body protection : Wear suitable protective clothing.

Hand protection : Wear suitable gloves.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection

must be based on known or anticipated exposure levels, the hazards of the product and the

safe working limits of the selected respirator.

Other information : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or

smoke when using this product.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES** 

Physical state: Flammability (solid, gas):

Liquid. Not flammable.

Appearance: Explosive properties/explosive limits:
Clear liquid. Not explosive/No data available.

Colour: Vapour pressure:

Colourless. No data available.

Odour: Relative vapour density at 20 °C:
Natural. No data available.

Odour threshold:

No data available.

Relative density:

No data available.

pH:
10.8 Solubility:
Soluble in water.

Melting/Freezing point:
-2.22 °C / 28 °F
Partition coefficient: n-octanol/water:
No data available.

**Boiling point:**101.1 °C / 214 °F

Auto-ignition temperature:
No data available.

Flash point:

> 300 °C / 572 °F

Decomposition temperature:

No data available.

Relative evaporation rate (butylacetate = 1):

No data available.

Viscosity, kinematic:

No data available.

Relative evaporation rate (ether=1):

Other information:

No data available. No additional information available.

**SECTION 10. STABILITY AND REACTIVITY** 

Reactivity : No dangerous reactions known under normal conditions of use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : Heat. Incompatible materials.

Incompatible materials : Strong acids.

Hazardous decomposition products : May include and are not limited to: oxides of carbon.



according to the Hazard Communication Standard (CFR 291910.1200) HazCom 2012

Version: 2305 Applicable Law: USA
SDS Revision Date: 05/03/2023 Page 5 of 8

#### **SECTION 11. TOXICOLOGICAL INFORMATION** Information on toxicological effects Acute toxicity (oral) : Not classified. Acute toxicity (dermal) : Not classified. Acute toxicity (inhalation) : Not classified. Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt LD50 oral rat 1658 mg/kg LD50 oral 1210 mg/kg ATE US (oral) 1210 mg/kg body weight 2-butoxyethanol LD50 oral rat 1746 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1322 - 2301 LD50 oral 1414 mg/kg body weight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1020 - 1961 LD50 dermal rabbit 435 mg/kg LC50 inhalation rat 2.35 mg/l LC50 inhalation rat 486 ppm/4h ATE US (oral) 1414 mg/kg body weight ATE US (Dermal) 435 mg/kg body weight ATE US (Gases) 486 ppmv/4h 2.35 mg/l/4h ATE US (vapors) ATE US (dust, mist) 2.35 mg/l/4h Potassium hydroxide LD50 oral rat 284 mg/kg LD50 oral 284 mg/kg 284 mg/kg body weight ATE US (oral) Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-, branched LD50 oral rat 1310 mg/kg LD50 oral 657.2 mg/kg body weight Animal: rabbit, Animal sex: male, Guideline: other:, Remarks on results: other:, 95% CL: 265 - 1664,2 LD50 dermal rabbit ATE US (oral) 657.2 mg/kg body weight Skin corrosion/irritation : Not classified. pH: 10.8 Potassium hydroxide рΗ 13 (conc: 1 % (solution) Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-, branched 5.95 Temp.: 26 °C Concentration: 1 other: : Causes serious eye irritation Serious eye damage/irritation pH: 10.8 Potassium hydroxide 13 (conc: 1 % (solution) Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-, branched

: Not classified.

Respiratory or skin sensitization

5.95 Temp.: 26 °C Concentration: 1 other:



according to the Hazard Communication Standard (CFR 291910.1200) HazCom 2012

Version: 2305

Applicable Law: USA
SDS Revision Date: 05/03/2023

Page 6 of 8

: Not classified. Germ cell mutagenicity Carcinogenicity : Not classified. 2-butoxyethanol IARC group 3 - Not classifiable Reproductive toxicity : Not classified. STOT-single exposure · Not classified 2-butoxyethanol STOT-single exposure May cause respiratory irritation. STOT-repeated exposure : Not classified. Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt LOAEC (inhalation, rat, dust/mist/fume, 90 days) 0.015 mg/l air Animal: rat, Animal sex: female, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) ≥ 500 mg/kg body weight Animal: rat NOAEL (oral, rat, 90 days) 2-butoxyethanol NOAEL (dermal, rat/rabbit, 90 days) > 150 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study), Remarks on results: other: STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified. Viscosity, kinematic : No data available. Symptoms/effects after inhalation : May cause irritation to the respiratory tract. : May cause skin irritation. Symptoms may include redness, drying, defatting, and cracking of Symptoms/effects after skin contact the skin. : Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and Symptoms/effects after eye contact tear production, with marked redness and swelling of the conjunctiva. Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting, and Other information : Likely routes of exposure: ingestion, inhalation, skin, and eye.

# **SECTION 12. ECOLOGICAL INFORMATION**

Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt		
LC50 - Fish [1]	41 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
LC50 - Fish [2]	59.8 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 - Crustacea [1]	140 mg/l Test organisms (species): Daphnia magna	
ErC50 algae	1.01 mg/l	
EC50 72h - Algae [1]	1.01 mg/l (Species: Desmodesmus subspicatus)	
NOEC chronic fish	≥ 25.7 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '35 d'	
NOEC (chronic)	25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
LOEC (chronic)	50 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
2-butoxyethanol		
LC50 - Fish [1]	1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
LC50 - Fish [2]	2950 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
EC50 - Crustacea [1]	≈ 1800 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	911 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 72h - Algae [2]	1840 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names:	



according to the Hazard Communication Standard (CFR 291910.1200) HazCom 2012

Version: 2305

Applicable Law: USA
SDS Revision Date: 05/03/2023

Page 7 of 8

	-	
	Raphidocelis subcapitata, Selenastrum capricornutum)	
NOEC chronic fish	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '21 d'	
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched		
LC50 - Fish [1]	84.7 mg/l Test organisms (species): Lepomis macrochirus	
EC50 - Crustacea [1]	14 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	1948545 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 96h - Algae [1]	12 mg/l Test organisms (species): other:	

#### Persistence and degradability

Bugs B Gone (standard)	
Persistence and degradability	: Not established.

### **Bioaccumulative potential**

Bugs B Gone (standard)		
Bioaccumulative potential	: Not established.	
2-butoxyethanol		
Partition coefficient n-octanol/water	0.81 (at 25 °C)	
Potassium hydroxide		
Partition coefficient n-octanol/water	0.65	
0.1		

Other information : No other effects known.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

# Disposal methods

Product/packaging disposal

recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be

avoided or minimized wherever possible.

Additional Information : Recycle empty containers where allowed.

# **SECTION 14. TRANSPORTATION INFORMATION**

In accordance with DOT.

**UN number** : Not regulated for transport.

UN proper shipping name

Proper shipping name (DOT) : Not applicable.

Transport hazard class(es) (DOT) : Not applicable.

Packing group (DOT) : Not applicable.

**Environmental hazards** 

Other information : No additional information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.



according to the Hazard Communication Standard (CFR 291910.1200) HazCom 2012

Version: 2305 Applicable Law: USA SDS Revision Date: 05/03/2023 Page 8 of 8

#### **SECTION 15. REGULATORY INFORMATION**

Federal regulations : All components of this product are listed, or excluded from listing, on the United States

Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

International regulations : No additional information available.

US State Regulations

**WARNING:** This product can expose you to Ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>.

### **SECTION 16. OTHER INFORMATION**

Full text of H-phrases

Eye Irrit. 2 Serious eye damage/eye irritation Category 2

**Disclaimer:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.