

SEA FOAM MARINE PRO SAFETY DATA SHEET

Applicable Authority: 29 C.F.R. § 1910.1200 (HazCom 2012)

Version: 4021US SDS Revision Date: 05/28/2024

GHS US classification Flammable liquid - 2

Signal word

DANGER!

Hazard statement(s)

Precautionary statement(s)

Keep container tightly closed.

Use only non-sparking tools.

Aspiration toxicity - 1

Hazard pictograms (GHS US)

GHS label elements, including precautionary statements

Applicable Law: USA Page 1 of 6

SECTION 1. IDENTIFICATION		
Product name	: Sea Foam Ma	rine Pro
Product code(s)	: MP20, MP128, MP	55
Product form	: Mixture.	MARINE
Recommended use and restrictions	: Fuel system treatme Use pattern: Consu	ent. mer use; professional use.
Name, address, and telephone number of the supplier	: Sea Foam Sa 510 North Chestnu Chaska, MN, USA T (952) 938-4811	t Street
Emergency telephone number	NOTE: INFOTRAC	535-5053 (Within Continental US); (352) 323-3500 (Outside US) c emergency number is to be used only in the event of chemical ing a spill, leak, fire, exposure, or accident involving chemicals.
SECTION 2. HAZARDS IDENTIFICAT	ION	
Classification of the substance or mixture		IF ON SKIN (or hair): Remove/Take off immediately all contaminated
Clear liquid. Petroleum hydrocarbon odor.		clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

In case of fire: Use water fog, dry chemical, CO2 or 'alcohol' foam for extinction.

Do NOT induce vomiting. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local regulation.

Other hazards which do not result in classification

Burning produces noxious and toxic fumes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching skin.

Unknown acute toxicity (GHS US)

Not applicable.

Wash hands and face thoroughly after handling. Avoid breathing vapor or mist.

Highly flammable liquid and vapor.

May be fatal if swallowed and enters airways.

Ground/Bond container and receiving equipment.

Keep away from heat, sparks and open flame. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Take precautionary measures against static discharge.

Wear protective gloves/clothing and eye/face protection.

Use only outdoors or in a well-ventilated area.



SEA FOAM MARINE PRO

SAFETY DATA SHEET

Applicable Authority: 29 C.F.R. § 1910.1200 (HazCom 2012)

Version: 4021US SDS Revision Date: 05/28/2024

Applicable Law: USA Page 2 of 6

Mixtures				
Chemical Name	CAS #	Concentration		
Hydrocarbon blend*	Blend	100%		
*Note: The exact composition of the above listed of	chemicals are being withheld as a trade secret.			
SECTION 4. FIRST-AID MEASURES				
Description of first-aid measures				
First-aid measures after ingestion		Do not induce vomiting. Never give anything b ting occurs spontaneously, keep victim's hea tion.		
First-aid measures after inhalation	: Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. In breathing is difficult, give oxygen by qualified medical personnel only. Get medical attention			
First-aid measures after skin contact	: Immediately remove/take off all contaminated clothing. Wash exposed area thoroughly with soap and water for at least 15 minutes. If irritation or symptoms develop, seek medica attention.			
First-aid measures after eye contact	: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.			
Most important symptoms and effects, both ad	cute and delayed			
	: Causes serious eye irritation. Causes respiratory tract irritation. May cause drowsiness and dizziness. May cause damage to the nervous system the Ingestion may cause gastrointestinal irritation			

Indication of any immediate medical attention and special treatment needed

: Treat symptomatically. This product is a CNS depressant.

SECTION 5. FIRE-FIGHTING MEASURES			
Extinguishing media			
Suitable extinguishing media	: Dry chemical, foam, carbon dioxide and water fog.		
Unsuitable extinguishing media	: Do not use a solid water stream as it may scatter and spread fire.		
Special hazards arising from the substance or	mixture		
	: Highly flammable liquid and vapor. May be ignited by open flame. Vapors are heavier thar air and collect in confined and low-lying areas. The product is insoluble and floats on water. The pressure in sealed containers can increase under the influence of heat.		
Flammability classification (OSHA 29 CFR 191	0.106)		
	: Flammable liquid - Category 2		
Explosion data: Sensitivity to mechanical impa	act/Static discharge		
	: Not expected to be sensitive to mechanical impact. May be sensitive to static discharge Vapors in the flammable range may be ignited by a static discharge of sufficient energy.		
Hazardous combustion products	: Carbon oxides; Nitrogen oxides (NOx); Sulphur oxides; Other unidentified organic compounds; irritating fumes and smoke.		
Special protective equipment and precautions	for fire-fighters		
Protective equipment for fire-fighters	: Fire-fighters should wear proper protective equipment and self-contained breathing apparatus with full face piece, operated in positive pressure mode.		
Special fire-fighting procedures	: Move containers from fire area, if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Direct water or foam spray may cause frothing which can increase the intensity and range of the fire.		



SEA FOAM MARINE PRO SAFETY DATA SHEET

Applicable Authority: 29 C.F.R. § 1910.1200 (HazCom 2012)

Applicable Law: USA Page 3 of 6

Version: 4021US SDS Revision Date: 05/28/2024

Other protective equipment

SECTION 6. ACCIDENTAL RELEA	ASE MEASURES
Personal precautions, protective equipm	ent and emergency procedures
	: All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.
Methods and material for containment an	d cleaning up
	: Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Use only non-sparking tools. Soak up with inert absorbent material. Do not use combustible absorbents, such as sawdust. Pick up and transfer to properly labeled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities.
Special spill response procedures	: If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802). US CERCLA Reportable quantity (RQ): None.
SECTION 7. HANDLING AND ST	ORAGE
Precautions for safe handling	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye/face protection. Use only in well-ventilated areas. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and open flame No smoking. Ground/Bond container and receiving equipment. Take precautionary measures against static discharges. Use explosion-proof ventilating equipment. Keep container tightly closed. Do not eat, drink or smoke when using this product. Empty containers retain residue (liquid and/or vapor) and can be dangerous. Wash thoroughly after handling.
Conditions for safe storage	: Store in a cool, dry, well-ventilated area. Store locked up. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. No smoking. Protect from sunlight. Have appropriate fire extinguishers and spill clean-up

Exposure Limits:					
Chemical Name	ACGIH TI	ACGIH TLV		OSHA PEL	
	TWA	<u>STEL</u>	PEL	<u>STEL</u>	
Hydrocarbon blend	5 mg/m³ (inhalable fraction, mineral oil mists)	N/Av	5 mg/m³ (As 'Oil mist, mineral')	N/Av	
Ventilation and engineering measures	: Provide mechanical ventilation in confined spaces. Use explosion-proof equipment.				
Respiratory protection	: If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised.				
Skin protection	: Impervious gloves must be worn when using this product. Advice should be sought from glove suppliers. Wear long sleeved shirt and pants to minimize exposed skin.				
Eye/Face protection	: Chemical safety glasses with side shields or splash proof goggles. A full-face shield may also be necessary.				

equipment in or near storage area.

: Depending on conditions of use, an impervious apron should be worn. An eyewash station and safety shower should be made available in the immediate working area.

General hygiene considerations : Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.



SEA FOAM MARINE PRO SAFETY DATA SHEET

Applicable Authority: 29 C.F.R. § 1910.1200 (HazCom 2012)

Version: 4021US SDS Revision Date: 05/28/2024

Applicable Law: USA Page 4 of 6

Appearance:	Vapor pressure:
Clear liquid.	No information available.
Odor:	Vapor density:
Typical odor.	>1
Odor threshold:	Relative density/Specific gravity:
No information available.	0.84
pH:	Solubility in water:
No information available.	Insoluble.
Melting/Freezing point:	Other solubility(ies):
No information available.	No information available.
Initial boiling point and boiling range:	Partition coefficient: n-octanol/water or coeffici
273 °F / 133.9 °C	water/oil distribution: No information available.
Flash point:	Auto-ignition temperature:
78.8 °F / 26 °C	No information available.
Flashpoint (Method):	Decomposition temperature:
TCC	No information available.
Evaporation rate (BuAe = 1):	Viscosity:
<1	3.42 cSt.
Flammability (solid, gas):	Volatiles (% by weight):
Highly flammable liquid and vapor.	No information available.
Lower flammable limit (% by vol.):	Volatile Organic Compounds (VOC's):
No information available.	367g/l
Upper flammable limit (% by vol.):	Absolute pressure of container:
No information available.	Not applicable.
Oxidizing properties:	Flame projection length:
None known.	Not applicable.
Explosive properties:	Other physical/chemical comments:
Not explosive.	No addition information.

Reactivity	: Not normally reactive.	
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: Hazardous polymerization does not occur.	
Conditions to avoid	: Avoid heat and open flame. Do not use in areas without adequate ventilation. Avoid contact with incompatible materials.	
Incompatible materials	: Strong oxidizing agents; Acids; Caustics.	
Hazardous decomposition products	: None known. Refer to hazardous combustion products in Section 5.	



SEA FOAM MARINE PRO

SAFETY DATA SHEET

Applicable Authority: 29 C.F.R. § 1910.1200 (HazCom 2012)

SECTION 11. TOXICOLOGICAL INFORMATION				
Information on likely routes of exposure:				
Routes of entry inhalation: YES	Routes of entry ingestion: YES			
Routes of entry skin and eye: YES	Routes of exposure skin absorption: YES			
Potential health effects:				
Signs and symptoms of short-term (acute) exp	posure			
Sign and symptoms inhalation	: Inhalation of vapors can cause nasal and respiratory irritation. Exposure to high va concentration can cause dizziness, nausea and central nervous system depressi Saturated vapors can be encountered in confined spaces and/or under conditions of p ventilation.			
Sign and symptoms ingestion	: Swallowing may cause irritation, nausea and vomiting. May cause central nervous system depression. May be absorbed and cause symptoms similar to those for inhalation. Symptom may include burning pain, vomiting and diarrhea. Aspiration into the lungs during swallowin or subsequent vomiting may cause chemical pneumonitis, which can be fatal.			
Sign and symptoms skin	: May cause mild skin irritation. May be absorbed and cause symptoms similar to the inhalation.	se f		
Sign and symptoms eyes	: May cause moderate eye irritation.			
Potential chronic health effects	: Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itchin Prolonged overexposure to product can result in permanent central nervous system ch May cause lung inflammation and lung damage with extreme exposures.			
Mutagenicity	: Not expected to be mutagenic in humans.			
Carcinogenicity	: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.			
Reproductive effects and teratogenicity	: Not expected to have other reproductive effects.			
Sensitization to material	: Not expected to be a skin or respiratory sensitizer.			
Specific target organ effects	: Eyes, skin, respiratory system, digestive system, central nervous system. The substar mixture is classified as specific target organ toxicant, single exposure, category 3 narcotic effects. The substance or mixture is not classified as specific target organ tox repeated exposure.			
Irritancy	: Moderate eye irritant. Irritating to respiratory system. Mild skin irritant.			
Medical conditions aggravated by overexposu	re : None known or reported by the manufacturer.			
Synergistic materials	: None known or reported by the manufacturer.			
Toxicological data	: The calculated ATE values for this mixture are: ATE oral = 23,600 mg/kg ATE dermal = 8343 mg/kg ATE inhalation (mists) = 65.7 mg/L/4H			
Other important toxicological hazards	: None known or reported by the manufacturer.			
SECTION 12. ECOLOGICAL INFORM				
Ecotoxicity	: No data is available on the product itself.			
Persistence and degradability	: The product itself has not been tested.			
Bioaccumulation potential	: The product itself has not been tested.			
Mobility in soil	: The product itself has not been tested.			

Other adverse environmental effects : None known.



SEA FOAM MARINE PRO

SAFETY DATA SHEET

Applicable Authority: 29 C.F.R. § 1910.1200 (HazCom 2012)

Version: 4021US SDS Revision Date: 05/28/2024

Applicable Law: USA Page 6 of 6

SECTION 13. DISPOSAL CONSIDERATIONS		
Handling for disposal	: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. Empty containers retain residue (liquid and/or vapor) and can be dangerous. Do not cut, weld, drill or grind on or near this container.	
Methods of disposal	: Dispose of in accordance with federal, state, and local hazardous waste laws. Contact your local, state or federal environmental agency for specific rules.	
RCRA	: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.	

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	UN1268	PETROLEUM DISTILLATES, N.O.S.	3	111	
9CFR/DOT Additional	ERG #128 The listed tran	sportation information applies only to ground transport and d	does not address regulato	ry variations due	e to changes

information package size, mode of shipment, or other regulatory descriptors. The packaging exceptions contained in 49 C.F.R. § 173.150 apply.

Special precautions for user

: Appropriate advice on safety must accompany the package. Keep away from heat, sparks and open flame. - No smoking.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: This information is not available.

SECTION 15. REGULATORY INFORMATION

US Federal information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

US CERCLA Reportable quantity (RQ): None.

SARA TITLE III:

Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes: Fire Hazard; Immediate (Acute) health hazard; Chronic Health Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State right to know laws:

California Proposition 65: To the best of our knowledge, this product does not contain any chemicals known to the State of California to cause cancer or reproductive harm.

SECTION 16. OTHER INFORMATION

NFPA Ratings:



Disclaimer: Sea Foam Sales Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.